ELSEVIER

Physica C 225 (1994) 405–408

PHYSICA C

Author index to volume 225

Altunbas, M., see Yu.A. Vidadi **225**, 124
Amarakoon, V.R.W., see J.G. Fagan **225**, 240
André, M.-O., see G. D'Anna **225**, 79
Antipov, E.V., see D.V. Fomichev **225**, 25
Antipov, E.V., see D. Berling **225**, 212
Aoki, R., H. Murakami and T. Kita, Tunneling observation of phonon contribution to the pairing interaction in oxide superconductors **225**, 1
Aranda, M.A.G., see D.C. Sinclair **225**, 307
Attfield, P., see D.C. Sinclair **225**, 307

Baert, M., see E. Rosseel **225**, 262
Barus, A.M.M. and J.A.T. Taylor, The effect of particle size distribution on the phase composition in $YBa_2Cu_3O_{7-x}$ as determined by DTA **225**, 374
Bayya, S.S. and R.L. Snyder, Self-propagating high-temperature synthesis (SHS) and microwave-assisted combustion synthesis (MACS) of the thallium superconducting phases **225**, 83
Benoit, W., see G. D'Anna **225**, 79
Berastegui, P., see M. Käll **225**, 317
Berling, D., E.V. Antipov, J.J. Capponi, M.F. Gorius, B. Loegel, A. Mehdaoui and J.L. Tholence, Low-field AC susceptibility in Hg-1223 polycrystals **225**, 212
Bhattacharya, R.N. and R.D. Blaugher, Processing of Ag doped thick-film electrodeposited thallium-oxide superconductors **225**, 269
Blaugher, R.D., see R.N. Bhattacharya **225**, 269
Börjesson, L., see M. Käll **225**, 317
Bruynseraede, Y., see E. Rosseel **225**, 262
Bruynseraede, Y., see S. Libbrecht **225**, 337
Burke, E.A., see B.D. Weaver **225**, 381

Capponi, J.J., see D. Berling **225**, 212
Celotti, G., A. Tampieri, R. Masini and M.C. Malpezzi, Evaluation of structure-related parameters of hot-pressed BISCCO (2223) phase **225**, 346
Chaddah, P., see A.K. Pradhan * **225**, 369
Chen, C., see A.K. Pradhan * **225**, 369
Chen, J.W., Upper critical magnetic fields of $Bi_2Sr_2CuO_6$ single crystals **225**, 294
Cho, C.H., see S. Mahajan **225**, 353
Chowdhury, A.J.S., B.M.R. Wanklyn, F.R. Wondre, J.W. Hodby, A.V. Volkozub and P.A.J. De Groot, Growth of high-quality 2212 BSCCO crystals in Pt crucibles and characterisation **225**, 388
Chrosch, J. and E.K.H. Salje, Thin domain walls in $YBa_2Cu_3O_{7-\delta}$ and their rocking curves. An X-ray diffraction study **225**, 111
Cima, M.J., see H. Ishii **225**, 91
Ciobanu, I.P., see L.Z. Kon **225**, 59
Ciszek, M., see E.S. Vlakhov **225**, 149
Conder, K., Ch. Krüger, E. Kaldis, D. Zech and H. Keller, Is the splitting of the superconducting transition in $YBa_2Cu_3O_{7-x}$ ($x<0.05$) due to oxygen-diffusion limitations? **225**, 13

Dabkowska, H.A., see A.W. McConnell **225**, 7
Dabkowski, A., see A.W. McConnell **225**, 7
Damodaran, A.D., see J. Koshy **225**, 101
D'Anna, G., M.V. Indenbom, M.-O. André, W. Benoit, J.-C. Grivel, B. Hensel and R. Flükiger, AC losses in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes **225**, 79
Das, N.C., see S. Das **225**, 167
Das, S. and N.C. Das, Thermodynamic properties based on the hole-pairing model **225**, 167
De Groot, P.A.J., see A.J.S. Chowdhury **225**, 388
Dhananjayakumar, see J. Koshy **225**, 101
Díaz, A., see J. Mosqueira **225**, 34
Dimitriev, Y.B., see E.S. Vlakhov **225**, 149
Doroshenko, N.A., see V.P. Dyakonov **225**, 51
D'yachenko, O.G., see D.V. Fomichev **225**, 25
Dyakonov, V.P., V.I. Markovich, R. Puzniak, H. Szymczak, N.A. Doroshenko and Ya.I. Yuzhelevskii, Influence of strontium on superconducting and magnetic properties of $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ **225**, 51

Eagles, D.M., Possible high-current superconductivity at room temperature in oxidised polypropylene and other quasi one-dimensional systems **225**, 222

Fagan, J.G., V.R.W. Amarakoon and J. Richmond-Hope, The effects of impurity oxides on $YBa_2Cu_3O_{7-x}$ microstructure development **225**, 240
Figueredo, A.M., see H. Ishii **225**, 91
Fisher, B., see G. Koren **225**, 21
Flükiger, R., see G. D'Anna **225**, 79
Fomichev, D.V., O.G. D'yachenko, A.V. Mironov and E.V. Antipov, The structures of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ ($x=0.05, 0.22, 0.42$) phases refined from X-ray single-crystal data **225**, 25
Franz, M., see Y.R. Wang **225**, 117
Fueki, K., see Y. Idemoto **225**, 127

Gauckler, L.J., see Th. Schweizer **225**, 143
Gorius, M.F., see D. Berling **225**, 212
Greedan, J.E., see A.W. McConnell **225**, 7
Grivel, J.-C., see G. D'Anna **225**, 79
Gu, G.D., see N. Nakamura **225**, 65

Hara, T., see H. Ishii **225**, 91
Hardy, V., see A. Ruyter **225**, 235
Hejtmánek, J., see V. Plecháček **225**, 361
Hellebrand, B., see E. Stangl **225**, 358
Hensel, B., see G. D'Anna **225**, 79
Hermann, A., see H. Ledbetter **225**, 397
Hervieu, M., see A. Ruyter **225**, 235
Hirano, S., see H. Ishii **225**, 91
Hodby, J.W., see A.J.S. Chowdhury **225**, 388
Hughes, R.A., see A.W. McConnell **225**, 7

Iborra, E., see M.L. Lucía **225**, 253
Idemoto, Y., K. Shizuka and K. Fueki, Determination of standard enthalpies of formation of member oxides in the Pb system **225**, 127
Ikeda, H., see R. Yoshizaki **225**, 299
Indenbom, M.V., see G. D'Anna **225**, 79
Ishii, H., T. Hara, S. Hirano, A.M. Figueredo and M.J. Cima, Magnetization behavior and critical current density along the *c*-axis in melt-grown YBCO fiber crystal **225**, 91
Ishikawa, M., see Y. Nakazawa **225**, 71
Ito, W., see S. Mahajan **225**, 353

Jackson, E.M., see B.D. Weaver **225**, 381
Jeon, D.S., see R. Yoshizaki **225**, 299
Jergel, M., see E. Rosseel **225**, 262
Jeudy, V., G. Jung, D. Limagne and G. Waysand, Irreversible flux penetration regimes in type-I superconducting strips **225**, 331
Jia, C.L., see J.W. Seo **225**, 158
Johansson, L.-G., see M. Käll **225**, 317
Jung, G., see V. Jeudy **225**, 331

Kabius, B., see J.W. Seo **225**, 158
Kaldis, E., see K. Conder **225**, 13
Käll, M., A.P. Litvinchuk, P. Berastegui, L.-G. Johansson and L. Börjesson, Temperature dependence of phonon Raman scattering in $Y_2Ba_4Cu_7O_{15-\delta}$ **225**, 317
Karal, H., see Yu.A. Vidadi **225**, 124
Keller, H., see K. Conder **225**, 13
Keller, J., see T. Leskova **225**, 190
Khan, M.K.R., see I. Tanaka **225**, 185
Kita, T., see R. Aoki **225**, 1
Knížek, K., see V. Plecháček **225**, 361
Kojima, H., see I. Tanaka **225**, 185
Kon, L.Z. and I.P. Ciobanu, Collective oscillations in superconductors with electron–hole asymmetry **225**, 59
Koren, G., E. Polturak, G.M. Reisner, B. Fisher and L. Patlagan, $YBa_2CoCu_2O_y$, $PrBa_2CoCu_2O_y$ and $PrBa_2Cu_3O_{7-\delta}$ as barriers/insulators in $YBa_2Cu_3O_{7-\delta}$ based Josephson junctions **225**, 21
Koshizuka, N., see N. Nakamura **225**, 65
Koshizuka, N., see M. Kosuge **225**, 218
Koshy, J., J. Kurian, Y.P. Yadava, P.K. Sajith, A.D. Damodaran, S.P. Pai, Dhananjayakumar, R. Pinto and R. Vijayaraghavan, Growth of YBCO thin films ($T_{c(0)}=90$ K) by pulsed laser ablation on polycrystalline $GdBa_2NbO_6$, a new perovskite ceramic substrate **225**, 101
Kosuge, M., A. Tokiwa-Yamamoto, H. Yamauchi and N. Koshizuka, Pressure effect on critical temperature of $HgBa_2CaCu_2O_{6+\delta}$ **225**, 218
Krüger, Ch., see K. Conder **225**, 13
Kubota, N., see S. Mahajan **225**, 353
Kurian, J., see J. Koshy **225**, 101

Lahiry, S., Y.S. Reddy, B. Sarkar, R. Rajput, D.K. Suri, R.G. Sharma and B.B. Sharma, Mercury-enhanced high T_c in the Bi(Pb)–Sr–Ca–Cu–O system **225**, 207
Ledbetter, H., M. Lei, A. Hermann and Z. Sheng, Low-temperature elastic constants of $Y_1Ba_2Cu_3O_7$ **225**, 397
Lei, M., see H. Ledbetter **225**, 397
Leskova, T., J. Keller and K. Renk, Roughness-induced absorption in layered superconductors **225**, 190
Liang, W.Y., see C.T. Lin **225**, 275
Libbrecht, S., E. Osquiguil and Y. Bruynseraede, Influence of field inhomogeneity on the magnetization of YBCO films **225**, 337
Limagne, D., see V. Jeudy* **225**, 331
Lin, C.T. and W.Y. Liang, Etch defects in $YBa_2Cu_3O_{7-\delta}$ single crystals grown from flux **225**, 275
Litvinchuk, A.P., see M. Käll **225**, 317
Lobotka, P., see E. Rosseel **225**, 262
Loegel, B., see D. Berling **225**, 212
Lucía, M.L., J. Santamaría, E. Iborra and F. Sánchez-Quesada, Effects of weak intergrain coupling in the transport properties of textured YBCO thin films **225**, 253

Mahajan, S., J.G. Wen, W. Ito, C.H. Cho, T. Takenaka, N. Kubota, Y. Yoshida and T. Morishita, Comparison of crystalline and superconducting properties of sputtered *a*-axis oriented YBCO films on MgO and $SrTiO_3$ substrates **225**, 353
Maignan, A., see A. Ruyter **225**, 235
Malpezzi, M.C., see G. Celotti **225**, 346
Markovich, V.I., see V.P. Dyakonov **225**, 51
Masini, R., see G. Celotti **225**, 346
Maza, J., see A. Pomar **225**, 287
McConnell, A.W., R.A. Hughes, A. Dabkowski, H.A. Dabkowska, J.S. Preston, J.E. Greedan and T. Timusk, Evaluation of $LaSrGaO_4$ as a substrate for $YBa_2Cu_3O_{7-\delta}$ **225**, 7
Mehdaoui, A., see D. Berling **225**, 212
Mironov, A.V., see D.V. Fomichev **225**, 25
Mori, Y., see I. Tanaka **225**, 185
Morishita, T., see S. Mahajan **225**, 353
Moshchalkov, V.V., see E. Rosseel **225**, 262
Mosqueira, J., A. Pomar, A. Díaz, J.A. Veira and F. Vidal, Resistivity anomalies above the superconducting transition

in $Y_1Ba_2Cu_3O_{7-\delta}$ crystals and non-uniformly distributed critical-temperature inhomogeneities **225**, 34
Müller, R., see Th. Schweizer **225**, 143
Murakami, H., see R. Aoki **225**, 1

Nafidi, A., see R. Suryanarayanan **225**, 105
Nakamura, N., G.D. Gu and N. Koshizuka, Self-field effect on critical current density in single-crystal $Bi_2Sr_2CaCu_2O_x$ **225**, 65
Nakazawa, Y., J. Takeya and M. Ishikawa, Anomalous peak structure of specific heat around T_c of $Ba_2YCu_3O_y$ **225**, 71
Narasimha Rao, C.V., H.J. Trodahl and J.L. Tallon, $Bi_2Sr_{2-x}La_xCuO_{6+y}$ resistivity and Raman scattering from the oxygen A_{1g} modes **225**, 45
Nenkov, K.A., see E.S. Vlakhov **225**, 149

Ono, A., Stability of $YBa_2Cu_4O_8$ under high pressure **225**, 181
Osquiguil, E., see S. Libbrecht **225**, 337

Pai, S.P., see J. Koshy **225**, 101
Parish, J.L., Note on magnetic hysteresis in HTSC **225**, 325
Patlagan, L., see G. Koren **225**, 21
Pinto, R., see J. Koshy **225**, 101
Plecháček, V., E. Pollert, J. Hejtmánek, D. Sedmidubský and K. Knížek, Improvement of the magnetic shielding and trapping properties of BiPbSrCaCuO superconducting tubes by the use of multiple thermomechanical processing **225**, 361
Pollert, E., see V. Plecháček **225**, 361
Polturak, E., see G. Koren **225**, 21
Pomar, A., see J. Mosqueira **225**, 34
Pomar, A., M.V. Ramallo, J. Maza and F. Vidal, Measurements of the fluctuation-induced magnetoconductivity in the *a*-direction of an untwinned $Y_1Ba_2Cu_3O_{7-\delta}$ single crystal in the weak magnetic field limit **225**, 287
Poppe, U., see J.W. Seo **225**, 158
Potter, C., see E. Rosseel **225**, 262
Pradhan *, A.K., S.B. Roy, P. Chaddah, C. Chen and B.M. Wanklyn, Magnetic anomaly in $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ **225**, 369
Preston, J.S., see A.W. McConnell **225**, 7
Proyer, S., see E. Stangl **225**, 358
Puzniak, R., see V.P. Dyakonov **225**, 51

Rajput, R., see S. Lahiry **225**, 207
Ramallo, M.V., see A. Pomar **225**, 287
Reddy, Y.S., see S. Lahiry **225**, 207
Reisner, G.M., see G. Koren **225**, 21
Renk, K., see T. Leskova **225**, 190
Richmond-Hope, J., see J.G. Fagan **225**, 240
Rodríguez-Carvajal, J., see D.C. Sinclair **225**, 307
Rosseel, E., M. Baert, K. Temst, C. Potter, V.V. Moshchalkov, Y. Bruynseraede, P. Lobotka, I. Vavra, R. Senderak and M. Jergel, Critical fields of W/Si multilayers **225**, 262
Roy, S.B., see A.K. Pradhan * **225**, 369
Ruyter, A., Ch. Simon, V. Hardy, M. Hervieu and A. Maignan, Irreversibility lines of Yb and Pb substituted Bi-2212 single crystals **225**, 235

Sajith, P.K., see J. Koshy **225**, 101
Salje, E.K.H., see J. Chrosch **225**, 111
Sanchez, A., Comparison between transport and magnetically induced critical-current density in high-T_c superconductors **225**, 136
Sánchez-Quesada, F., see M.L. Lucía **225**, 253
Santamaría, J., see M.L. Lucía **225**, 253
Sarkar, B., see S. Lahiry **225**, 207
Sastry, P.V.P.S.S. and A.R. West, Stoichiometry and T_c of Bi-2201 doped with La, Pr, Nd and Pb **225**, 173
Schweizer, Th., R. Müller and L.J. Gauckler, A wet-chemistry method to determine the Bi and Cu valencies in Bi–Sr–Ca–Cu–O (2212) high-temperature superconductors **225**, 143
Sedmidubský, D., see V. Plecháček **225**, 361
Senderak, R., see E. Rosseel **225**, 262
Seo, J.W., B. Kabius, C.L. Jia, H. Soltner, U. Poppe and K. Urban, HREM investigation of (110) oriented $YBa_2Cu_3O_7$ thin films deposited on (110) $SrTiO_3$ substrates **225**, 158
Sharma, B.B., see S. Lahiry **225**, 207
Sharma, R.G., see S. Lahiry **225**, 207
Sheng, Z., see H. Ledbetter **225**, 397
Shizuka, K., see Y. Idemoto **225**, 127
Simon, Ch., see A. Ruyter **225**, 235
Sinclair, D.C., M.A.G. Aranda, P. Attfield and J. Rodríguez-Carvajal, Cation distribution and composition of the Tl-2223 superconductor from combined powder neutron and resonant X-ray diffraction **225**, 307
Snyder, R.L., see S.S. Bayya **225**, 83
Soltner, H., see J.W. Seo **225**, 158
Stangl, E., S. Proyer and B. Hellebrand, Fabrication of $TmBa_2Cu_3O_{7-\delta}$ films by pulsed-laser deposition **225**, 358
Summers, G.P., see B.D. Weaver **225**, 381
Suri, D.K., see S. Lahiry **225**, 207
Suryanarayanan, R. and A. Nafidi, Enhancement of orthorhombicity and superconductivity in argon preheated $EuSrBaCu_3O_{6+z}$ **225**, 105
Szymczak, H., see V.P. Dyakonov **225**, 51

Takenaka, T., see S. Mahajan **225**, 353
Takeya, J., see Y. Nakazawa **225**, 71
Tallon, J.L., see C.V. Narasimha Rao **225**, 45
Tampieri, A., see G. Celotti **225**, 346
Tanabe, H., see I. Tanaka **225**, 185
Tanaka, I., J. Yamamoto, Y. Mori, H. Tanabe, M.K.R. Khan and H. Kojima, Determination of the solubility of alkaline-earth metals (Ca, Sr, Ba) into La_2CuO_4 by the SCFZ method **225**, 185
Taylor, J.A.T., see A.M.M. Barus **225**, 374
Temst, K., see E. Rosseel **225**, 262
Tholence, J.L., see D. Berling **225**, 212
Timusk, T., see A.W. McConnell **225**, 7
Tokiwa-Yamamoto, A., see M. Kosuge **225**, 218
Trodahl, H.J., see C.V. Narasimha Rao **225**, 45

Urban, K., see J.W. Seo **225**, 158

Vavra, I., see E. Rosseel **225**, 262
Veira, J.A., see J. Mosqueira **225**, 34
Vidadi, Yu.A., E. Yanmaz, M. Altunbas and H. Karal, Percolation effects in the diamagnetic response of polystyrene–$YBa_2Cu_3O_{7-\delta}$ superconductor composites **225**, 124
Vidal, F., see J. Mosqueira **225**, 34
Vidal, F., see A. Pomar **225**, 287
Vijayaraghavan, R., see J. Koshy **225**, 101
Vlakhov, E.S., K.A. Nenkov, M. Ciszek, A. Zaleski and Y.B. Dimitriev, Superconducting and magnetic properties of melt-quenched Bi-2223 superconductors doped with Pb and Te **225**, 149
Volkozub, A.V., see A.J.S. Chowdhury **225**, 388

Wang, Y.R. and M. Franz, Theory of doping and temperature dependence of the normal-state spin susceptibility of the copper-oxide superconductors **225**, 117
Wanklyn, B.M., see A.K. Pradhan * **225**, 369
Wanklyn, B.M.R., see A.J.S. Chowdhury **225**, 388
Waysand, G., see V. Jeudy* **225**, 331
Weaver, B.D., E.M. Jackson, G.P. Summers and E.A. Burke, Effect of particle irradiation on $Ba_{0.6}K_{0.4}BiO_3$ thin films **225**, 381
Wen, J.G., see S. Mahajan **225**, 353
West, A.R., see P.V.P.S.S. Sastry **225**, 173
Wondre, F.R., see A.J.S. Chowdhury **225**, 388

Yadava, Y.P., see J. Koshy **225**, 101
Yamamoto, J., see I. Tanaka **225**, 185
Yamauchi, H., see M. Kosuge **225**, 218
Yanmaz, E., see Yu.A. Vidadi **225**, 124
Yoshida, Y., see S. Mahajan **225**, 353
Yoshizaki, R., H. Ikeda and D.S. Jeon, Anomalous peak effect deduced from the temperature dependence of the magnetization in the $Bi_2Sr_2CaCu_2O_{8+y}$ system **225**, 299
Yuzhelevskii, Ya.I., see V.P. Dyakonov **225**, 51

Zaleski, A., see E.S. Vlakhov **225**, 149
Zech, D., see K. Conder **225**, 13

ELSEVIER

Physica C 225 (1994) 409–410

PHYSICA C

Analytic Subject Index to Volume 225

AC susceptibility 79, 124, 149, 207
–of Hg-1223 212
Anderson model 59
Anisotropic superconductor 34, 91, 253, 294
Anomalous peak effect/299 294
Applications of high-T_c superconductors 7, 79

BCS model 59
BSCCO 2212 crystals 388
Bulk modulus 397

C3 91
Charge transfer 207
Combustion reaction 83
Cooperon orbital magnetic moment 325
Critical current density 7, 65, 136, 253, 353, 381
–in $TmBa_2Cu_3O_{7-\delta}$ 358
Critical state model 65, 136, 337
Crystallite size 374

Defect structures 158, 275
Dielectric constant 101
Diffusion couple 240
Dimensional crossover 262
Distribution coefficient 185
Domain formation
–of $YBa_2Cu_3O_{7-x}$ 240
Domain walls 111
DTA 374

Einstein model 397
Elastic constants 397
Electrical resistivity 7, 21, 45, 124, 136, 287, 294, 346
–of $Ba_{0.6}K_{0.4}BiO_3$ 381
–of $Bi_{1.7}Pb_{0.3}Sr_{2-x}Hg_xCa_2Cu_3O_y$ 207
–of $HgBa_2CaCu_2O_{6+\delta}$ 218
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 34
Electrodeposition 269
Electron–phonon coupling 1
Eliashberg theory 222
Energy gap 1, 167, 222, 317

Fluctuation effects 59, 287
Flux creep 253
Flux pinning 91, 149, 212, 325
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ 79

Grain boundaries 51, 253
Granular superconductivity 149, 212

High-pressure effect 181, 218, 346
Hole pairing 167
Hot forging 240
HREM 158, 353

Irradiation effect 381
Irreversibility line 235

Josephson effect 21

Lattice parameters 346
Layered superconductor 65, 190

Magnetic phase diagram 51
Magnetic relaxation 369
Magnetic shield
–of BiPbSrCaCuO 361
Magnetic susceptibility 117
Magnetization 51, 91, 136, 325, 337, 369
–of $YBaCu_3O_{7-x}$ 13
Magnetization curves 331
Magnetoresistance 287
Matching effect 294
Meissner effect 331
Microstructure 111
Multilayers 262

Neutron diffraction 307
Normal-state properties 117
Novel flux method 388

One-dimensional systems 222
Optical spectroscopy 190

Oxidised polypropylene 222
Oxygen annealing effect 294
Oxygen diffusion 13
Oxygen stoichiometry 13, 34, 71

Pb system 127
Peak effect 369
Penetration depth 331
Percolation model 124
Permanganometry
–of Bi–Sr–Ca–Cu–O (2212) 143
Phase diagram 185
Phase stability
–of $YBa_2Cu_4O_8$ 181
Phonon spectrum 1, 45, 317
Pinning potential 361
Poisson ratio 397

Raman scattering 45, 317
Roughness 190

Scanning electron microscopy 7
Self-field effect 65
Solution calorimetry 127
Specific heat at T_c 71
Standard enthalpy of formation 127
Structural phase transition 51
Structure
–in $EuSrBaCu_3O_{6+z}$ 105
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 235
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 25
–of Tl-2223 307
–of $YBa_2Cu_3O_{7-\delta}$ 275
Substitution effects 117, 269
–in $Ba_2YCu_3O_y$ 71
–in $Bi_{1.95}Sr_{2.05-x}R_xCuO_q$, (R = La, Pr and Nd) 173
–in $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 235
–in $Bi_2Sr_2CaCu_2O_{8+y}$ 294
–in $Bi_2Sr_{2-x}La_xCuO_{6+y}$ 45
–in $DyBa_{2-x}Sr_xCu_3O_{7-\delta}$ 51
–in La_2CuO_4 185
–in Pb and Te 149
–in $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 369

–of $EuSrBaCu_3O_{6+z}$ 105
Surface impedance 353
Surface plasmon 190
Synthesis
–of $Bi_{1.95}Sr_{2.05-x}R_xCuO_q$, (R = La, Pr and Nd) 173
–of $Bi_2Sr_2CaCu_2O_x$ 388
–of BISCCO (2223) 346
–of $EuSrBaCu_3O_{6+z}$ 105
–of polystyrene–$YBa_2Cu_3O_{7-\delta}$ composites 124
–of $RBa_2Co_nCu_{3-n}O_y$ 21
–of Tl-2212 83
–of $YBa_2Cu_3O_{7-\delta}$ 275
–of $YBa_2Cu_3O_{7-x}$ 374
–of $YBa_2Cu_4O_8$ 181
–of YBCO 101

Thallium oxide superconductors 269
Thermodynamic critical field H_c 167
Thermodynamics 127
Thick films 269
Thin films 7, 101, 253, 337, 358
–of $RBa_2Co_nCu_{3-n}O_y$ 21
–of $YBa_2Cu_3O_7$ 158
Tunneling 1, 353
Twin boundaries
–in $YBa_2Cu_3O_{7-\delta}$ 111
Type-I superconductivity 331

Ultrasonic spectroscopy 397
Upper critical field
–of $Bi_2Sr_2CuO_6$ 294

Weak coupling 253

X-ray diffraction 25, 83, 111, 173, 218, 307, 353